

World Journal of *Orthopedics*

World J Orthop 2012 March 18; 3(3): 20-24





Editorial Board

2010-2014

The *World Journal of Orthopedics* Editorial Board consists of 261 members, representing a team of worldwide experts in orthopedics. They are from 30 countries, including Argentina (1), Australia (14), Austria (2), Belgium (1), Brazil (3), Canada (5), China (18), Croatia (2), Denmark (1), Egypt (2), Finland (2), France (2), Germany (10), Greece (5), Hungary (1), India (9), Iran (2), Ireland (1), Israel (5), Italy (19), Japan (14), Morocco (1), Netherlands (10), Norway (2), Portugal (1), Serbia (3), Singapore (3), South Korea (12), Spain (4), Sri Lanka (1), Sweden (3), Switzerland (6), Tunisia (3), Turkey (1), Tunisia (1), United Kingdom (6), and United States (69).

EDITOR-IN-CHIEF

Bao-Gan Peng, *Beijing*

STRATEGY ASSOCIATE EDITORS-IN-CHIEF

Jenni M Buckley, *San Francisco*
Vijay K Goel, *Toledo*
James F Griffith, *Hong Kong*
Thomas W Kaminski, *Newark*
Enrico Pola, *Rome*
Masato Takao, *Tokyo*

GUEST EDITORIAL BOARD MEMBERS

Chih-Hwa Chen, *Keelung*
Ruei-Ming Chen, *Taipei*
Yen-Jen Chen, *Taichung*
Jiu-Jenq Lin, *Taiwan*
Ko-Hsiu Lu, *Taichung*
Chen Yuk-Kwan, *Kaohsiung*
Fu-Chan Wei, *Taiwan*
Ta-Sen Wei, *Taiwan*

MEMBERS OF THE EDITORIAL BOARD



Argentina

Martin Alejandro Buttaró, *Aires*



Australia

Gerald J Atkins, *Adelaide*
Gregory Ian Bain, *Adelaide*
Belinda R Beck, *Queensland*

Adam Leigh Bryant, *Victoria*
Darren John Beales, *Western Australia*
Changhai Ding, *Hobart*
Herwig Drobetz, *Mackay*
Melanie Franklyn, *Victoria*
Konstantin I Momot, *Queensland*
George Samuel Murley, *Victoria*
Michal Elisabeth Schneider-Kolsky, *Victoria*
Gordon L Slater, *Albury*
Mark Watsford, *Sydney*
Cory J Xian, *Adelaide*



Austria

Florian Kutscha-Lissberg, *Vienna*
Klemens Trieb, *Wels*



Belgium

Olivier Bruyere, *Liege*



Brazil

Francisco Bandeira Farias, *Recife*
Djalma José Fagundes, *São Paulo*
Eduardo Magalhães, *São Paulo*



Canada

Richard E Buckley, *Calgary*
Reggie Charles Hamdy, *Montreal*
Michael Anthony Hunt, *Vancouver*
Richard Kremer, *Montreal*
Fackson Mwale, *Montreal*



China

Yu-Ming Chen, *Guangzhou*
Hong-Bin Fan, *Xi'an*
Daniel YT Fong, *Hong Kong*
Li-Xin Guo, *Shenyang*
Xiong Guo, *Xi'an*
Xia Guo, *Hong Kong*
Lui-Tun Hing, *Hong Kong*
Kai-Fu Huo, *Wuhan*
Yong Hu, *Hong Kong*
Xiang-Hang Luo, *Changsha*
Marco YC Pang, *Hong Kong*
Ming Zhang, *Hong Kong*
Tak Chuen Wong, *Hong Kong*
Ricky WK Wong, *Hong Kong*



Croatia

Tomislav Smoljanovic, *Zagreb*
Robert Kolundzic, *Zagreb*



Denmark

Morten Tange Kristensen, *Copenhagen*



Egypt

Wael M.T. Koptan, *Cairo*
Elsayed Ibraheem Elsayed Massoud, *Tahta*



Finland

Timo Järvelä, *Tampere*

Yrjö T Konttinen, *Helsinki*



France

Federico Canavese, *Clermont-Ferrand*
Yiou Eric, *Orsay Cedex*



Germany

Annegret Mündermann, *Radolfzell*
Beat Knechtle, *Gallen*
Heinz LOHRER, *Frankfurt Am Main*
Olaf Lorbach, *Homburg*
Stefan Grote, *Munich*
Karsten Knobloch, *Hannover*
Philipp Kobbe, *Aachen*
Volker Schöffl, *Bamberg*
Arndt P Schulz, *Lübeck*
Lars V Baron von Engelhardt, *Bochum*



Greece

George C Babis, *Attiki*
Marios Georgios Lykissas, *Ioannina*
Lazaros I Sakkas, *Larissa*
Nikolaos G Papadimitriou, *Thessaloniki*
Konstantinos N Malizos, *Larissa*



Hungary

Andor Sebestyén, *Pécs*



India

Antony Gomes, *Calcutta*
Kunal Sharan, *Lucknow*
Divya Vohora, *New Delhi*
Devdatta Suhas Neogi, *Mumbai*
Mohamed Shafi, *Tamil Nadu State*
Pankaj Kumar, *Andhra Pradesh*
Pramod V Lokhande, *Pune*
Vidyadhara Srinivasa, *Karnataka*
Vaibhav Bagaria, *Ghaziabad*



Iran

Hossein Negahban, *Ahvaz*
Sayed Javad Mousavi, *Tehran*



Ireland

Joseph S Butler, *Dublin*



Israel

Alexander Blankstein, *Ramat Hasharon*
Dror Lakstein, *Haifa*

Itzhak Binderman, *Tel Aviv*
Nahum Rosenberg, *Haifa*
Youssef Maher Masharawi, *Tel Aviv*



Italy

Alessandro Geraci, *Feltre*
Angelo Cacchio, *L'Aquila*
Costantino Errani, *Bologna*
Claudia Mazzà, *Roma*
Donatella Lippi, *Florence*
Giuseppe M Campo, *Messina*
Giuseppe Banfi, *Milano*
Patrizia D'Amelio, *Torino*
Marco Crostelli, *Rome*
Marcello Maggio, *Parma*
Marco Giuseppe Angelo Teli, *Bergamo*
Monica Mattioli-Belmonte, *Ancona*
Marco Monticone, *Lissone*
Pasquale De Negri, *Rionero in Vulture*
Andrea Giusti, *Genova*
Alberto Gobbi, *Milan*
Raoul Saggini, *Chieti*
Saverio Affatato, *Bologna*
Tomaso Villa, *Milano*



Japan

Akio Sakamoto, *Fukuoka*
Jun Iwamoto, *Tokyo*
Kanji Mori, *Otsu*
Makoto Makishima, *Tokyo*
Ryuichi Morishita, *Suita*
Shuichi Kaneyama, *Kobe*
Tadahiko Yotsumoto, *Osaka*
Toru Yamaguchi, *Izumo-shi*
Toshimasa Uemura, *Ibaraki*
Hideki Nagashima, *Yonago*
Hisataka Yasuda, *Nagahama*
Yasuharu Nagano, *Saitama*
Yoichi Aota, *Yokohama*
Yuichi Kasai, *Tsu city*



Morocco

Abdellah El Maghraoui, *Rabat*



Netherlands

Claudine JC Lamothe, *Groningen*
Barend J van Royen, *Amsterdam*
Doug King, *Lower Hutt*
Paul C Jutte, *Groningen*
PE Huijsmans, *Hague*
PM van der Kraan, *Nijmegen*
Michel van den Bekerom, *Amsterdam*
JJ Verlaan, *Utrecht*
Rob GHH Nelissen, *Leiden*
Taco Gosens, *Tilburg*



Norway

Jan Oxholm Gordeladze, *Oslo*
Gunnar Knutsen, *Tromsø*



Portugal

João F Mano, *Guimarães*



Serbia

Radica Dunjic, *Belgrade*
Miroslav Z Milankov, *Novi Sad*
Zoran Vukasinovic, *Belgrade*



Singapore

Anselm Mak, *Singapore*
Dongan Wang, *Singapore*
V Prem Kumar, *Singapore*



South Korea

Dae-Geun Jeon, *Seoul*
Seok Woo Kim, *Gyeonggi*
Sang-Hun Ko, *Ulsan*
Sung-Uk Kuh, *Seoul*
Jaebeom Lee, *Miryang*
Yong Seuk Lee, *Suwon*
Hyun Woo Kim, *Seoul*
Jae Taek Hong, *Suwon*
Jong-Beom Park, *Kyunggi-do*
Kook Jin Chung, *Seoul*
Kyu Hyun Yang, *Seoul*
Sang Ki Lee, *Daejeon*



Spain

Antonio Herrera, *Zaragoza*
Daniel Hernandez Vaquero, *Aviles*
Francisco J Blanco, *A Coruña*
Nuria Vilaboa, *Madrid*



Sri Lanka

Janaka Lenora, *Galle*



Sweden

Jan G Jakobsson, *Stockholm*
Anna Nordström, *Umeå*



Switzerland

Achim Elfering, *Bern*
Benjamin Gantenbein, *Bern*

Nicola A Maffioletti, *Zurich*
Michael Hirschmann, *Basel*
Elyazid Mouhsine, *Lausanne*
Peter Fennema, *Baar*



Thailand

Boonsin Tangtrakulwanich, *Songkla*
Prachya Kongtawelert, *Chiang Mai*
Sittisak Honsawek, *Bangkok*



Tunisia

Lamia Rezgui-Marhouf, *Tunis*



Turkey

Akmer Mutlu, *Ankara*
Bulent Daglar, *Ankara*
Kemal NAS, *Diyarbakir*
Salih Özgöçmen, *Kayseri*
Serdar Kahraman, *Istanbul*



United Kingdom

Henry DE Atkinson, *London*
Vikas Khanduja, *Cambridge*
Ali Mobasheri, *Sutton Bonington*
Charles Anthony Willis-Owen, *London*
Vikki Wylde, *Bristol*
Tosan Okoro, *Bangor*



United States

Srino Bharam, *New York*
Craig R Bottoni, *Honolulu*
Lavjay Butani, *Sacramento*
Chaoyang Chen, *Detroit*
Ock K Chun, *Storrs*
Christopher J Colloca, *Chandler*
Nabanita S Datta, *Detroit*
Paul E Di Cesare, *Sacramento*
Matthew B Dobbs, *Saint Louis*
Evan F Fkman, *Columbia*
Joel J Gagnier, *Ann Arbor*
Federico P Girardi, *New York*
David L Helfet, *New York*
Johnny Huard, *Pittsburgh*
Stefan Judex, *Stony Brook*
Monroe Laborde, *New Orleans*
Bingyun Li, *Morgantown*
Subburaman Mohan, *Loma Linda*
Arash Momeni, *Palo Alto*
Nader D Nader, *Buffalo*
John Nyland, *Louisville*
Karin Gräware Silbernagel, *Newark*
David H Song, *Chicago*
Nelson F SooHoo, *Los Angeles*
SPA Stawicki, *Columbus*
Ann Marie Swank, *Louisville*
R Shane Tubbs, *Birmingham*
Victoria M Virador, *Bethesda*
Savio LY Woo, *Pittsburgh*
Masayoshi Yamaguchi, *Atlanta*
Feng-Chun Yang, *Indianapolis*
Subhashini Yaturu, *Albany*

Hiroki Yokota, *Troy*
Charalampos Zalavras, *Los Angeles*
Chunfeng Zhao, *Rochester*
Anil Bhawe, *Baltimore*
John Elias, *Akron*
Clark Dickin, *Muncie*
John S Early, *Dallas*
James S Harrop, *Philadelphia*
Adam H Hsieh, *Maryland*
Aditya V Maheshwari, *New York*
Zong-Ming Li, *Cleveland*
Richard M Lovering, *Baltimore*
Lyle Joseph Micheli, *Boston*
Ming Pei, *Morgantown*
Juan A Pretell – Mazzini, *Philadelphia*
David M Selkowitz, *Pomona*
Hassan Serhan, *Raynham*
Subhashini Yaturu, *Albany*
Sorin Siegler, *Pennsylvania*
Aaron David Sciascia, *Lexington*
Jeffrey C Wang, *Santa Monica*
David Andrew Spiegel, *Philadelphia*
Inna Belfer, *Pittsburgh*
Angie Botto-van Bemden, *Lauderdale*
Quan-Jun Cui, *Virginia*
Scott D Daffner, *Morgantown*
B Sonny Bal, *Columbia*
Beril Gok, *Baltimore*
Ashraf S Gorgey, *Richmond*
Kee D Kim, *Sacramento*
Brian Michael Haus, *Boston*
Dror Paley, *Pittsburgh*
Bing Wang, *Pittsburgh*
Wen-Bao Wang, *New York*
Li-Qun Zhang, *Chicago*
Nigel Zheng, *Charlotte*



BRIEF ARTICLE

20

Evaluation of utility in shoulder pathology: Correlating the American Shoulder and Elbow Surgeons and Constant scores to the EuroQoL

Bafus BT, Hughes RE, Miller BS, Carpenter JE

Contents

World Journal of Orthopedics
Volume 3 Number 3 March 18, 2012

ACKNOWLEDGMENTS I Acknowledgments to reviewers of *World Journal of Orthopedics*

APPENDIX I Meetings
I-V Instructions to authors

ABOUT COVER "The Shoulder Joint", provided by Jason S Scibek, PhD, Assistant Professor, Editorial Board Member of *World Journal of Orthopedics*, Department of Athletic Training Co-Director, Kristen L McMaster Motion Analysis Laboratory Duquesne University 600 Forbes Avenue, 118 HLSB Pittsburgh, PA 15282, United States

AIM AND SCOPE *World Journal of Orthopedics* (*World J Orthop*, *WJO*, online ISSN 2218-5836, DOI: 10.5312) is a monthly peer-reviewed, online, open-access, journal supported by an editorial board consisting of 261 experts in orthopedics from 30 countries.
The aim of *WJO* is to report rapidly new theories, methods and techniques for prevention, diagnosis, treatment, rehabilitation and nursing in the field of orthopedics. *WJO* covers diagnostic imaging, arthroscopy, evidence-based medicine, epidemiology, nursing, sports medicine, therapy of bone and spinal diseases, bone trauma, osteoarthritis, bone tumors and osteoporosis, minimally invasive therapy, traditional medicine, and integrated Chinese and Western medicine. The journal also publishes original articles and reviews that report the results of applied and basic research in fields related to orthopedics, such as immunology, physiopathology, cell biology, pharmacology, medical genetics, and pharmacology of Chinese herbs.

FLYLEAF I-II Editorial Board

EDITORS FOR THIS ISSUE

Responsible Assistant Editor: *Xiao-Cui Yang*
Responsible Electronic Editor: *Xiao-Cui Yang*
Proofing Editor-in-Chief: *Lian-Sheng Ma*

Responsible Science Editor: *Xing Wu*
Proofing Editorial Office Director: *Xiao-Cui Yang*

NAME OF JOURNAL
World Journal of Orthopedics

ISSN
ISSN 2218-5836 (online)

LAUNCH DATE
November 18, 2010

FREQUENCY
Monthly

EDITING
Editorial Board of *World Journal of Orthopedics*
Room 903, Building D, Ocean International Center,
No. 62 Dongsihuan Zhonglu, Chaoyang District,
Beijing 100025, China
Telephone: +86-10-85381892
Fax: +86-10-85381893
E-mail: wjo@wjgnet.com
<http://www.wjgnet.com>

EDITOR-IN-CHIEF
Bao-Gan Peng, MD, PhD, Professor, Department

of Spinal Surgery, General Hospital of Armed Police Force, 69 Yongding Road, Beijing 100039, China

EDITORIAL OFFICE
Xiao-Cui Yang, Assistant Director
World Journal of Orthopedics
Room 903, Building D, Ocean International Center,
No. 62 Dongsihuan Zhonglu, Chaoyang District,
Beijing 100025, China
Telephone: +86-10-85381892
Fax: +86-10-85381893
E-mail: wjo@wjgnet.com
<http://www.wjgnet.com>

PUBLISHER
Baishideng Publishing Group Co., Limited
Room 1701, 17/F, Henan Building,
No.90 Jaffe Road, Wanchai, Hong Kong, China
Fax: +852-31158812
Telephone: +852-58042046
E-mail: bpg@baishideng.com
<http://www.wjgnet.com>

PUBLICATION DATE
March 18, 2012

COPYRIGHT
© 2012 Baishideng. Articles published by this Open-Access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT
All articles published in this journal represent the viewpoints of the authors except where indicated otherwise.

INSTRUCTIONS TO AUTHORS
Full instructions are available online at http://www.wjgnet.com/2218-5836/g_info_20100722172650.htm

ONLINE SUBMISSION
<http://www.wjgnet.com/2218-5836office/>

Evaluation of utility in shoulder pathology: Correlating the American Shoulder and Elbow Surgeons and Constant scores to the EuroQoL

Blaine T Bafus, Richard E Hughes, Bruce S Miller, James E Carpenter

Blaine T Bafus, Department of Orthopaedic Surgery, Cleveland Clinic Foundation, Cleveland, OH 44115-2325, United States

Richard E Hughes, Bruce S Miller, James E Carpenter, Department of Orthopaedic Surgery, University of Michigan, Ann Arbor, MI 48109-2200, United States

Author contributions: Bafus BT, Hughes RE, Carpenter JE and Miller BS were all involved in the conceptualization of project, design of the project and interpretation of the results; all reviewed and approved the final manuscript; Bafus BT collected all of the data, computed descriptive statistics, and wrote the manuscript; Hughes RE performed the correlations and multivariate statistical modeling; Hughes RE also wrote the statistical analysis sections of the manuscript.

Supported by Department of Orthopaedic Surgery, University of Michigan

Correspondence to: Richard E Hughes, PhD, Laboratory for Optimization and Computation in Orthopaedic Surgery, University of Michigan, 2003 Biomedical Science Research Building, 109 Zina Pitcher Pl, Ann Arbor, MI 48109-2200, United States. rehughes@med.umich.edu

Telephone: +1-734-6156410 Fax: +1-734-6470003

Received: November 18, 2011 Revised: January 29, 2012

Accepted: March 3, 2012

Published online: March 18, 2012

Abstract

AIM: To study whether health utility scores can be derived from shoulder-specific scores.

METHODS: Authors investigated two questions: (1) do the American Shoulder and Elbow Surgeons (ASES) score and the Constant score correlate with the EuroQoL (EQ-5D), a measure of health utility? (2) can the ASES and Constant scores be obtained from a complete study sample without bias? Thirty subjects with various shoulder diagnoses completed ASES, Constant, and EQ-5D instruments. Pearson correlations were calculated to assess the associations between EQ-5D

score and ASES and Constant scores.

RESULTS: The correlation between EQ-5D score and ASES score was 0.60 ($P < 0.001$); it was 0.54 for EQ-5D and Constant scores ($P < 0.003$). A multiple regression model containing ASES score, Constant score, age, and gender failed to adequately predict EQ-5D. Moreover, 25% of patients meeting the inclusion criteria did not complete the ASES questionnaire because they did not feel that specific questions, such as "do usual sport -list" and "throw ball overhand," applied to them.

CONCLUSION: Authors' results do not support the use of the ASES and Constant scores in predicting EuroQoL health utility values. However, the Constant score was more suitable for this patient population because all patients were able to complete it.

© 2012 Baishideng. All rights reserved.

Key words: Utility; EuroQoL; American Shoulder and Elbow Surgeons score; Constant score; Shoulder; Outcomes

Peer reviewers: V Prem Kumar, Professor, Department of Orthopaedic Surgery Yong Loo Lin School of Medicine, National University of Singapore NUHS Tower Block, Level 11, 1E Kent Ridge Road, Singapore 119228, Singapore; Jason Scott Scibek, PhD, ATC, Assistant Professor, Department of Athletic Training Co-Director, Kristen L McMaster Motion Analysis Laboratory, Duquesne University, 600 Forbes Avenue, 118 HLSB Pittsburgh, PA 15282, United States

Bafus BT, Hughes RE, Miller BS, Carpenter JE. Evaluation of utility in shoulder pathology: Correlating the American Shoulder and Elbow Surgeons and Constant scores to the EuroQoL. *World J Orthop* 2012; 3(3): 20-24 Available from: URL: <http://www.wjgnet.com/2218-5836/full/v3/i3/20.htm> DOI: <http://dx.doi.org/10.5312/wjo.v3.i3.20>

INTRODUCTION

Over the past several years, outcome reporting has had enhanced importance as patients and payers demand evidence supporting medical interventions. In 1993, the United States Public Health Service established the Quality-Adjusted Life Year (QALY) as the universal measure of health effectiveness^[1]. The QALY is a unit measurement accounting for the patient's perceived health-related quality of life. The Panel on Cost-Effectiveness in Health and Medicine also recommended the generic health-state instruments, the Health Utilities Index (HUI) and the EuroQoL (EQ-5D), as suitable for obtaining the patient preference for a health state^[1]. These measures can be used to construct utility values for use in cost-utility models in medical decision making. In healthcare, utility is the preference that patients have for a particular health status. Recently, an investigation analyzing utility and cost-effectiveness in rotator cuff repair established that the EQ-5D is more sensitive than the HUI in rotator cuff pathology^[2].

The EQ-5D is an internationally validated general measure of health-related quality of life composed of a one-page questionnaire and a one-page visual analogue scale. The EQ-5D questionnaire examines five dimensions of health: mobility, self-care, usual activities, pain/discomfort, and anxiety/depression^[3]. Each of the dimensions examined has three levels, reflecting increasing health impact, and associated five-digit descriptors (ranging from 11 111 for perfect health to 33 333 for worst state imagined), yielding up to 243 different health states^[4]. Further work by the US Agency for Healthcare Research and Quality (AHRQ) established a US population-based preference weighting system for the EQ-5D used to derive utility^[5].

Most investigations of shoulder pathology measure outcomes using a disease-specific outcome instrument, such as the American Shoulder and Elbow Surgeons (ASES) score or the Constant score, and do not include a direct measurement of utility^[6,7]. In an effort to derive utility from previously published studies that used a general health assessment without a direct measurement of utility, algorithms have been developed converting two general health assessments, the SF-36 and SF-12, to the HUI2 and the HUI3, respectively^[8,9]. To date, no studies have attempted to derive a utility from the commonly used disease-specific shoulder scores. The primary purpose of this study was to formulate an algorithm to convert two of the most commonly used shoulder scores, the ASES and Constant scores, to an EQ-5D utility score to allow for future cost-utility analyses of the existing shoulder literature. A secondary objective was to determine if the ASES and Constant scores could be obtained from every patient in our sample, since an instrument that is completed by only a subset of the sample may provide biased data.

MATERIALS AND METHODS

Subjects

This study was approved by the authors' Institutional

Review Board. A power analysis was performed, indicating a need for 13 patients to obtain 80% power to detect a correlation of 0.8 or better when controlling for type I error at 0.05 and using a 2-tailed test. We sought to enroll 50 subjects for increased statistical power. Subjects were recruited from a university orthopaedic sports medicine clinic based on a referral for shoulder pathology and were enrolled by order of convenience. Inclusion criteria were age 18 years or older, history of shoulder pain, no history of high-energy injury to the upper extremity within one year, no history of surgery on either shoulder, and an ability to communicate effectively with the examiner and give written informed consent.

Data collection

Data were collected at the sports medicine clinic of the University of Michigan between November 2007 and April 2008. All data were collected by a single examiner. The EQ-5D, ASES, and Constant instruments were assembled into packets in random order as determined by a random number generator. The EQ-5D had six questions. Five of them are three-level ordinal scales. The sixth is a visual analog scale with anchors "best imaginable health state" and "worst imaginable health state." The ASES instrument had both patient and physician components. The constant instrument asks the patient questions about pain in the shoulders during normal activities and whether the shoulders interfere with work, recreation/sport, and sleep. It also asks how high the hand can be raised (from belt/waist to above the head). The physician component evaluated abduction, forward elevation, internal rotation, external rotation, and abduction strength. The ASES instrument asked the patient about pain, instability, and activities of daily living. Questions regarding activity of daily living include rating the ability to perform ten activities on a four-point scale ("unable to do, very difficult to do, somewhat difficult, and not difficult"): "put on a coat, sleep on your painful or affected side, wash back/do up bra in back, manage toileting, comb hair, reach a high shelf, lift 10 lbs. above shoulder, throw a ball overhand, do usual work – list, and do usual sport-list." The physician portion of the ASES requires assessment of range of motion, signs, strength, and instability.

Subjects were asked to do their best with questions they felt did not apply to their situation. The physical examination component of the Constant score was performed as described by Constant and Murley^[6]. Strength was objectively assessed at 90 degrees abduction in the scapular plane using the IsoForce Control (IFC) dynamometer (Medical Device Solutions AG, Oberburg, Switzerland). The IFC records a minimum force of 10 N and yields peak and average force produced over 5 s, with 10 recordings per second. Newtons were converted to pounds by dividing by 4.448 for the Constant score. The EQ-5D was scored using the AHRQ scoring algorithm for Excel (Microsoft, Redmond, Washington)^[4]. The ASES and Constant instruments were scored according to their original descriptions^[6,7]. We used the

original Constant scoring^[6] method because the revised system was published during the course of our study^[10]. Subjects with incomplete instruments were excluded from all data analysis.

Statistical analysis

Data were analyzed with MINITAB v.15.1.0.0 (MINITAB, State College, Pennsylvania). Pearson product-moment correlation coefficients were computed to assess association between ASES, Constant, and EQ-5D scores. A multiple regression model was constructed to predict EQ-5D from the ASES score, Constant score, and subject age and gender. Normality was assessed using probability plots of each score.

RESULTS

Demographics

Forty-four patients were approached to participate in the study. Four did not meet the inclusion criteria, giving a total of 40 patients enrolled in the study. Ten were excluded for incomplete surveys. The remaining 30 subjects included 12 males and 18 females. The average age was 48.8 years (range, 25-71 years). The subjects had a broad range of diagnoses; however, one-half suffered from rotator cuff pathology (Table 1). Full-thickness rotator cuff tears were not distinguished from other tendinopathy for this study.

Descriptive statistics

Means for the ASES, constant, and EQ-5D scores were 55.1 (16.5 SD), 60.8 (19.0), and 0.765 (0.108), respectively. Scores for each instrument were tabulated and grouped by diagnosis with the mean, standard deviation, and range (Table 2). For diagnoses represented by only one subject, no standard deviation or range is presented. Three subjects who were diagnosed by the attending surgeon with two diagnoses are presented in the data sets of both diagnoses, as we were unable to ascertain which diagnosis had a greater impact in the data for those individuals.

Model development

Pearson correlations were calculated between the ASES, constant, and EQ-5D total scores. The ASES and EQ-5D correlation was $r = 0.60$, $P < 0.001$ (Figure 1). The Constant and EQ-5D correlation was $r = 0.54$, $P < 0.003$ (Figure 2). Multiple regression modeling yielded a coefficient of multiple determination (R^2) of 0.44, meaning that a model containing ASES, Constant, and age and gender only predicts 44% of the variance. To assess the predictive ability of the regression model, the prediction interval was computed for both men and women at the mean ASES score, Constant score, and age. The prediction intervals were (0.60, 0.96) and (0.59, 0.94) for men and women, respectively. These represent 35% of the full range of the EQ-5D scale.

Completeness of data

Ten patients (25%) did not complete the ASES ques-

Table 1 Patient demographics

Patient	Gender	Age (yr)	Diagnosis
1	Female	48	Rotator cuff
2	Female	56	Rotator cuff, labral tear
3	Male	66	Arthritis
4	Female	30	Labral tear
5	Male	48	Rotator cuff
6	Female	52	Rotator cuff, labral tear
7	Female	56	Rotator cuff
8	Female	52	Adhesive capsulitis
9	Male	38	Impingement
10	Female	25	Instability
11	Female	50	Rotator cuff
12	Female	69	Rotator cuff
13	Female	35	Impingement
14	Female	44	SC subluxation
15	Female	71	Rotator cuff
16	Male	30	Labral tear
17	Female	51	Rotator cuff
18	Female	48	Impingement
19	Male	68	Rotator cuff
20	Male	52	Rotator cuff, biceps
21	Female	73	Arthritis
22	Male	32	Rotator cuff
23	Male	38	Arthritis
24	Female	25	Instability
25	Female	58	Rotator cuff
26	Male	36	Unknown
27	Male	38	Arthritis
28	Female	63	Rotator cuff
29	Male	52	Rotator cuff
30	Male	59	Arthritis

Rotator cuff: Rotator cuff pathology; Biceps: Biceps tendon pathology; SC: Sternoclavicular joint pathology.

tionnaire. Specifically, they left either “do usual sport - list” or “throw ball overhand” (or both) blank. When questioned by the investigator, many of these patients indicated that at their age they did not consider themselves as “playing a sport” and they did not throw balls overhand. This was particularly true of patients with rotator cuff pathology, as they tended to be older.

DISCUSSION



We were unable to develop a model for converting ASES and Constant scores to EQ-5D utility scores. We found statistically significant, but only modestly strong, correlations between the EQ-5D and ASES ($r = 0.60$) and Constant ($r = 0.54$) scores. Although a multiple regression model could account for 44% of the variance, its prediction intervals were too large for this model to be useful (35% of the full EQ-5D range). We also found that 10 of the 40 patients meeting the inclusion criteria (25%) did not complete the ASES questionnaire because they did not feel that the questions regarding “do usual sport-list” and “throw ball overhand” applied to them. This suggests the Constant score is more suitable for this patient population.

It is unfortunate that we were unable to develop a method to convert ASES and Constant scores to utility values because of the great importance of cost-utility

Table 2 Outcome instrument data presented by diagnosis

	<i>n</i>	ASES mean (SD)	ASES range	Constant mean (SD)	Constant range	EQ-5D mean (SD)	EQ-5D range
Adhesive capsulitis	1	58.5 ¹	¹	58.0 ¹	¹	0.827 ¹	¹
Arthritis	5	59.0 (8.3)	49.2-70.8	56.8 (19.2)	32.2-76.0	0.720 (0.086)	0.597-0.827
Biceps tendon ²	1	30.8 ¹	¹	51.7 ¹	¹	0.816 ¹	¹
Impingement	3	40.5 (6.3)	33.3-45.0	67.0 (10.0)	55.7-75.0	0.705 (0.038)	0.678-0.748
Instability	2	51.7 (28.3)	71.7-31.7	56.4 (39.0)	28.8-84.0	0.797 (0.042)	0.767-0.827
Labral tear ²	4	74.0 (16.0)	54.2-93.3	77.0 (8.8)	64.7-83.8	0.864 (0.090)	0.813-1.000
Rotator cuff	15	54.7 (18.8)	28.7-93.3	57.9 (20.8)	26.0-85.0	0.783 (0.133)	0.416-1.000
SC subluxation	1	46.7 ¹	¹	69.6 ¹	¹	0.678 ¹	¹
Unknown	1	78.7 ¹	¹	83.0 ¹	¹	0.816 ¹	¹

¹Insufficient data to calculate. ²Some or all of the subjects within this diagnosis also had rotator cuff pathology. ASES: American Shoulder and Elbow Surgeons; SC: Sternoclavicular joint; Biceps: Biceps tendon pathology; Rotator cuff: rotator cuff pathology.

**Figure 1** Scatterplot of EuroQol (EQ-5D) score vs American shoulder and elbow surgeons (ASES) score.**Figure 2** Scatterplot of EuroQol (EQ-5D) score vs Constant score.

modeling in modern health care economics. Developing resource allocation strategies in healthcare that rely solely on cost can deprive the public from having access to technologies that significantly improve their health at modest costs. Health care economics has developed cost-utility analysis methods based on decision theory^[11] that incorporate both improvements in the quality of life (“utility” which can be measured by EQ-5D scores) and cost of care. For shoulder surgeons to demonstrate their treatments are cost-effective, utility must be quantified. Since so much of the clinical shoulder literature reports ASES and Constant scores, it would be very useful to have a method to convert these scores to utility values.

It is not surprising that there is a weak correlation between the shoulder instruments and the EQ-5D. A previous investigation identified a Pearson correlation of 0.50 between the Constant and ASES instruments, a low correlation, but indicative of some intuitive similarity between the instruments as they both relate to shoulder pathology^[12]. Similarly, the EQ-5D asks subjects about problems walking, problems with self care, problems performing usual activities, the presence of pain and discomfort, and if they have any anxiety or depression. It is easy to extrapolate that shoulder pathology could impact some or all of these domains, as we observed in this investigation.

The high percentage of patients refusing to answer two sports-related questions indicates the potential for biased estimates of mean ASES scores in a study population. Since the two questions that posed the greatest challenge involved sports, the ASES instrument may

be best suited to studies limited to athletes. However, a high rate of incomplete data forms presents the strong possibility of bias when conducting studies of broad populations or older patients. This is likely to be a problem in studies of rotator cuff tear patients, who tend to be older. Studies of younger patients being treated for impingement syndrome or instability may have a higher rate of completing all ASES questions.

While multiple diagnoses are represented here, the large percentage of patients with rotator cuff pathology allows for a limited comparison of our instrument scores with the published results for this population. In fact, the high proportion of patients with cuff pathology may bias our mean scores relative to what other occurs in patients being treated in different orthopaedic practices. A recent investigation that examined outcomes after arthroscopic rotator cuff repair and that utilized both the Constant and ASES instruments cited mean preoperative values of 54 and 44, respectively^[13]. This compares to our Constant score mean of 57.9 and ASES mean of 54.7. The only published investigation utilizing the EQ-5D in patients undergoing rotator cuff repair noted a preoperative mean score of 0.563^[2]; however, our mean was 0.784. While our constant scores are similar to the published literature, our ASES and EQ-5D scores are not. It is possible that this discrepancy can be accounted for by our exclusion of nonathletic individuals as a result of the ASES bias. It may be that the people who were unable to answer the sports and throwing questions on the ASES also have more modest expectations of arm

function, which produces a higher overall satisfaction with their health state.

Our investigation has several limitations, foremost being the ASES bias against the nonathletic individual. Twelve and one-half percent of enrolled subjects were disqualified for an inability to complete the question regarding the impact of their disease on personal sporting behavior. When asked, most indicated they simply did not participate in sports. No attempt was made by the examiner to coerce answers; therefore, these subjects were later disqualified for incomplete questionnaires. Other investigators have noted similar problems with the Shoulder Severity Index regarding driving in a population that did not drive^[14]. This problem with the ASES may indicate a weakness with the instrument.

A limitation of the Constant score is the reliability of measuring shoulder abduction strength^[10]. We did not assess the inter- or intra-rater reliability of the IFC used in our study, so this limitation applies to our study.

This study attempted to correlate the ASES and Constant scores with the EQ-5D to allow for future cost-utility analyses of the existing shoulder data. We were unable to derive a useful algorithm to support our hypothesis. The limitations of this study reflect the limitations of our discipline and illustrate the need for continued improvements in the shoulder instruments we currently use if they are going to be applicable to the general population.

COMMENTS

Background

Healthcare economic studies of shoulder treatments require estimates of health-related quality of life, which is measured using questionnaires. One common questionnaire is the EuroQol (EQ-5D). However, the most dominant methods for assessing shoulder function are the Constant score and American Shoulder and Elbow Surgeons (ASES) score.

Research frontiers

Developing a way to convert Constant and ASES scores to EQ-5D values would facilitate economic evaluation shoulder disorder treatments.

Innovations and breakthroughs

The study was unable to develop a mathematical formula to convert Constant and ASES scores to EQ-5D scores. The data suggest that such a conversion may not be possible. It was also found that some patients did not complete the ASES questionnaire because of its sports-related questions.

Applications

The significance of the study is that future studies of shoulder injuries should include the EuroQol questionnaire rather than rely on the Constant and ASES tools.

Terminology

EQ-5D: EuroQol; ASES: American Shoulder and Elbow Surgeons.

Peer review

This study attempted to correlate two standard shoulder scores with one quality of life score. The study population was biased towards rotator cuff tear patients; a population of younger patients with a high proportion of impingement syndrome cases may produce different results.

REFERENCES

- 1 Weinstein MC, Siegel JE, Gold MR, Kamlet MS, Russell LB. Recommendations of the Panel on Cost-effectiveness in Health and Medicine. *JAMA* 1996; **276**: 1253-1258
- 2 Vitale MA, Vitale MG, Zivin JG, Braman JP, Bigliani LU, Flatow EL. Rotator cuff repair: an analysis of utility scores and cost-effectiveness. *J Shoulder Elbow Surg* 2007; **16**: 181-187
- 3 Brooks R. EuroQol: the current state of play. *Health Policy* 1996; **37**: 53-72
- 4 Agency for Healthcare Research and Quality. Calculating the U.S. population-based EQ-5D index score, August 2005. Available from: URL: <http://www.ahrq.gov/rice/EQ5D-score.htm>
- 5 Agency for Healthcare Research and Quality. U.S. valuation of the EuroQol EQ-5D health states, December 2005. Available from: URL: <http://www.ahrq.gov/rice/EQ5Dproj.htm>
- 6 Constant CR, Murley AH. A clinical method of functional assessment of the shoulder. *Clin Orthop Relat Res* 1987; **160**: 164
- 7 Richards RR, An K-N, Bigliani LU, Friedman RJ, Gartsman GM, Gristina AG, Iannotti JP, Mow VC, Sidles JA, Zuckerman JD. A standardized method for the assessment of shoulder function. *J Shoulder Elbow Surg* 1994; **3**: 347-352
- 8 Nichol MB, Sengupta N, Globe DR. Evaluating quality-adjusted life years: estimation of the health utility index (HUI2) from the SF-36. *Med Decis Making* 2001; **21**: 105-112
- 9 Sengupta N, Nichol MB, Wu J, Globe D. Mapping the SF-12 to the HUI3 and VAS in a managed care population. *Med Care* 2004; **42**: 927-937
- 10 Constant CR, Gerber C, Emery RJ, Søjbjerg JO, Gohlke F, Boileau P. A review of the Constant score: modifications and guidelines for its use. *J Shoulder Elbow Surg* 2008; **17**: 355-361
- 11 Petitti DB. Meta-analysis, decision analysis, and cost-effectiveness analysis. New York: Oxford University Press, 2000
- 12 Placzek JD, Lukens SC, Badalanmenti S, Roubal PJ, Freeman DC, Wallemann KM, Parrot A, Wiater JM. Shoulder outcome measures: a comparison of 6 functional tests. *Am J Sports Med* 2004; **32**: 1270-1277
- 13 Lee E, Bishop JY, Braman JP, Langford J, Gelber J, Flatow EL. Outcomes after arthroscopic rotator cuff repairs. *J Shoulder Elbow Surg* 2007; **16**: 1-5
- 14 Beaton DE, Richards RR. Measuring function of the shoulder. A cross-sectional comparison of five questionnaires. *J Bone Joint Surg Am* 1996; **78**: 882-890

S- Editor Yang XC L- Editor A E- Editor Yang XC



Acknowledgments to reviewers of *World Journal of Orthopedics*

Many reviewers have contributed their expertise and time to the peer review, a critical process to ensure the quality of *World Journal of Orthopedics*. The editors and authors of the articles submitted to the journal are grateful to the following reviewers for evaluating the articles (including those published in this issue and those rejected for this issue) during the last editing time period.

V Prem Kumar, Professor, Department of Orthopaedic Surgery
Yong Loo Lin School of Medicine, National University of Singapore
NUHS Tower Block, Level 11, 1E Kent Ridge Road, Singapore
119228, Singapore

Jason Scott Scibek, PhD, ATC, Assistant Professor, Department of Athletic Training
Co-Director, Kristen L. McMaster Motion Analysis Laboratory,
Duquesne University, 600 Forbes Avenue, 118 HILSB Pittsburgh, PA 15282, United States



Events Calendar 2012

January 12-15, 2012

ICJR 4th Annual Winter Hip and
Knee Course
Colorado, CO, United States

January 23-25, 2012

8th Middle East Orthopaedics
Conference "Future Challenges and
Directions in Orthopedic Surgery"
Dubai, United Arab Emirates

February 7-11, 2012

American Academy of Orthopaedic
Surgeons
San Diego, CA, United States

February 14-15, 2012

7th National Conference:
Orthopaedics and Sports Medicine
2012 London, United Kingdom

February 16-19, 2012

Orthopaedic MRI and Small Parts
Scottsdale, AZ, United States

March 4-8, 2012

The 30th Annual Emergencies in
Medicine Conference
Utah, UT, United States

March 8-10, 2012

ICJR 2nd Annual Advances
in Orthopaedic Trauma and
Arthroplasty Course
Florida, FL, United States

March 17-24, 2012

Orthopaedics and Sports Medicine
for Primary Care Practitioners

Honolulu, HI, United States

May 2-6, 2012

Association of Bone and Joint
Surgeons
Charleston, SC, United States

May 4-5, 2012

8th Annual Spine Care Conference
for the Primary Care Practitioner
Sacramento, CA, United States

May 9-11, 2012

Pan-African Orthopaedics
Conference 2012
Nasrec, South Africa

May 11-21, 2012

Rheumatology and Orthopaedics
Civitavecchia, Italy

July 8-15, 2012

Practice Management and
Technology for The 21st Century
Practice
Lauderdale, FL, United States

August 13-15, 2012

International Conference and
Exhibition on Orthopedics
Chicago, IL, United States

September 14-21, 2012

Orthopaedics and Sports Medicine
Barcelona, Spain

September 21-25, 2012

36th Annual UC Davis Fingers to
the Toes Comprehensive Review of
Primary Care Orthopaedics
Lake Tahoe, CA, United States



INSTRUCTIONS TO AUTHORS

GENERAL INFORMATION

World Journal of Orthopedics (*World J Orthop*, *WJO*, online ISSN 2218-5836, DOI: 10.5312) is a monthly peer-reviewed, online, open-access (OA), journal supported by an editorial board consisting of 261 experts in orthopedics from 30 countries.

The biggest advantage of the OA model is that it provides free, full-text articles in PDF and other formats for experts and the public without registration, which eliminates the obstacle that traditional journals possess and usually delays the speed of the propagation and communication of scientific research results. The open access model has been proven to be a true approach that may achieve the ultimate goal of the journals, i.e. the maximization of the value to the readers, authors and society.

Maximization of personal benefits

The role of academic journals is to exhibit the scientific levels of a country, a university, a center, a department, and even a scientist, and build an important bridge for communication between scientists and the public. As we all know, the significance of the publication of scientific articles lies not only in disseminating and communicating innovative scientific achievements and academic views, as well as promoting the application of scientific achievements, but also in formally recognizing the "priority" and "copyright" of innovative achievements published, as well as evaluating research performance and academic levels. So, to realize these desired attributes of *WJO* and create a well-recognized journal, the following four types of personal benefits should be maximized. The maximization of personal benefits refers to the pursuit of the maximum personal benefits in a well-considered optimal manner without violation of the laws, ethical rules and the benefits of others. (1) Maximization of the benefits of editorial board members: The primary task of editorial board members is to give a peer review of an unpublished scientific article via online office system to evaluate its innovativeness, scientific and practical values and determine whether it should be published or not. During peer review, editorial board members can also obtain cutting-edge information in that field at first hand. As leaders in their field, they have priority to be invited to write articles and publish commentary articles. We will put peer reviewers' names and affiliations along with the article they reviewed in the journal to acknowledge their contribution; (2) Maximization of the benefits of authors: Since *WJO* is an open-access journal, readers around the world can immediately download and read, free of charge, high-quality, peer-reviewed articles from *WJO* official website, thereby realizing the goals and significance of the communication between authors and peers as well as public reading; (3) Maximization of the benefits of readers: Readers can read or use, free of charge, high-quality peer-reviewed articles without any limits, and cite the arguments, viewpoints, concepts, theories, methods, results, conclusion or facts and data of pertinent literature so as to validate the innovativeness, scientific and practical values of their own research achievements, thus ensuring that their articles have novel arguments or viewpoints, solid evidence and correct conclusion; and (4) Maximization of the benefits of employees: It is an iron law that a first-class journal is unable to exist without first-class editors, and only first-class editors can create a first-class academic journal. We insist on strengthening our team cultivation and construction so that every employee, in an open, fair and transparent environment, could contribute their wisdom to edit and publish high-quality articles, thereby realizing the maximization of the personal benefits

of editorial board members, authors and readers, and yielding the greatest social and economic benefits.

Aims and scope

The aim of *WJO* is to report rapidly new theories, methods and techniques for prevention, diagnosis, treatment, rehabilitation and nursing in the field of orthopedics. *WJO* covers diagnostic imaging, arthroscopy, evidence-based medicine, epidemiology, nursing, sports medicine, therapy of bone and spinal diseases, bone trauma, osteoarthritis, bone tumors and osteoporosis, minimally invasive therapy, traditional medicine, and integrated Chinese and Western medicine. The journal also publishes original articles and reviews that report the results of applied and basic research in fields related to orthopedics, such as immunology, physiopathology, cell biology, pharmacology, medical genetics, and pharmacology of Chinese herbs.

Columns

The columns in the issues of *WJO* will include: (1) Editorial: To introduce and comment on major advances and developments in the field; (2) Frontier: To review representative achievements, comment on the state of current research, and propose directions for future research; (3) Topic Highlight: This column consists of three formats, including (A) 10 invited review articles on a hot topic, (B) a commentary on common issues of this hot topic, and (C) a commentary on the 10 individual articles; (4) Observation: To update the development of old and new questions, highlight unsolved problems, and provide strategies on how to solve the questions; (5) Guidelines for Basic Research: To provide Guidelines for basic research; (6) Guidelines for Clinical Practice: To provide guidelines for clinical diagnosis and treatment; (7) Review: To review systematically progress and unresolved problems in the field, comment on the state of current research, and make suggestions for future work; (8) Original Articles: To report innovative and original findings in orthopedics; (9) Brief Articles: To briefly report the novel and innovative findings in orthopedics; (10) Case Report: To report a rare or typical case; (11) Letters to the Editor: To discuss and make reply to the contributions published in *WJO*, or to introduce and comment on a controversial issue of general interest; (12) Book Reviews: To introduce and comment on quality monographs of orthopedics; and (13) Guidelines: To introduce consensus and guidelines reached by international and national academic authorities worldwide on the research orthopedics.

Name of journal

World Journal of Orthopedics

ISSN

ISSN 2218-5836 (online)

Editor-in-chief

Bao-Gan Peng, MD, PhD, Professor, Department of Spinal Surgery, General Hospital of Armed Police Force, 69 Yongding Road, Beijing 100039, China

Editorial Office

World Journal of Orthopedics
Editorial Department: Room 903, Building D,
Ocean International Center,

Instructions to authors

No. 62 Dongsihuan Zhonglu,
Chaoyang District, Beijing 100025, China
E-mail: wjo@wjgnet.com
<http://www.wjgnet.com>
Telephone: +86-10-8538-1892
Fax: +86-10-8538-1893

Indexed and Abstracted in

PubMed Central, PubMed, Digital Object Identifier and Directory of Open Access Journals.

Published by

Baishideng Publishing Group Co., Limited

SPECIAL STATEMENT

All articles published in this journal represent the viewpoints of the authors except where indicated otherwise.

Biostatistical editing

Statistical review is performed after peer review. We invite an expert in Biomedical Statistics from to evaluate the statistical method used in the paper, including *t*-test (group or paired comparisons), chi-squared test, Riddit, probit, logit, regression (linear, curvilinear, or stepwise), correlation, analysis of variance, analysis of covariance, *etc.* The reviewing points include: (1) Statistical methods should be described when they are used to verify the results; (2) Whether the statistical techniques are suitable or correct; (3) Only homogeneous data can be averaged. Standard deviations are preferred to standard errors. Give the number of observations and subjects (*n*). Losses in observations, such as drop-outs from the study should be reported; (4) Values such as ED50, LD50, IC50 should have their 95% confidence limits calculated and compared by weighted probit analysis (Bliss and Finney); and (5) The word 'significantly' should be replaced by its synonyms (if it indicates extent) or the *P* value (if it indicates statistical significance).

Conflict-of-interest statement

In the interests of transparency and to help reviewers assess any potential bias, WJO requires authors of all papers to declare any competing commercial, personal, political, intellectual, or religious interests in relation to the submitted work. Referees are also asked to indicate any potential conflict they might have reviewing a particular paper. Before submitting, authors are suggested to read "Uniform Requirements for Manuscripts Submitted to Biomedical Journals: Ethical Considerations in the Conduct and Reporting of Research: Conflicts of Interest" from International Committee of Medical Journal Editors (ICMJE), which is available at: http://www.icmje.org/ethical_4conflicts.html.

Sample wording: [Name of individual] has received fees for serving as a speaker, a consultant and an advisory board member for [names of organizations], and has received research funding from [names of organization]. [Name of individual] is an employee of [name of organization]. [Name of individual] owns stocks and shares in [name of organization]. [Name of individual] owns patent [patent identification and brief description].

Statement of informed consent

Manuscripts should contain a statement to the effect that all human studies have been reviewed by the appropriate ethics committee or it should be stated clearly in the text that all persons gave their informed consent prior to their inclusion in the study. Details that might disclose the identity of the subjects under study should be omitted. Authors should also draw attention to the Code of Ethics of the World Medical Association (Declaration of Helsinki, 1964, as revised in 2004).

Statement of human and animal rights

When reporting the results from experiments, authors should follow the highest standards and the trial should conform to Good

Clinical Practice (for example, US Food and Drug Administration Good Clinical Practice in FDA-Regulated Clinical Trials; UK Medicines Research Council Guidelines for Good Clinical Practice in Clinical Trials) and/or the World Medical Association Declaration of Helsinki. Generally, we suggest authors follow the lead investigator's national standard. If doubt exists whether the research was conducted in accordance with the above standards, the authors must explain the rationale for their approach and demonstrate that the institutional review body explicitly approved the doubtful aspects of the study.

Before submitting, authors should make their study approved by the relevant research ethics committee or institutional review board. If human participants were involved, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and appropriate informed consent of each. Any personal item or information will not be published without explicit consents from the involved patients. If experimental animals were used, the materials and methods (experimental procedures) section must clearly indicate that appropriate measures were taken to minimize pain or discomfort, and details of animal care should be provided.

SUBMISSION OF MANUSCRIPTS

Manuscripts should be typed in 1.5 line spacing and 12 pt. Book Antiqua with ample margins. Number all pages consecutively, and start each of the following sections on a new page: Title Page, Abstract, Introduction, Materials and Methods, Results, Discussion, Acknowledgements, References, Tables, Figures, and Figure Legends. Neither the editors nor the publisher are responsible for the opinions expressed by contributors. Manuscripts formally accepted for publication become the permanent property of Baishideng Publishing Group Co., Limited, and may not be reproduced by any means, in whole or in part, without the written permission of both the authors and the publisher. We reserve the right to copy-edit and put onto our website accepted manuscripts. Authors should follow the relevant guidelines for the care and use of laboratory animals of their institution or national animal welfare committee. For the sake of transparency in regard to the performance and reporting of clinical trials, we endorse the policy of the ICMJE to refuse to publish papers on clinical trial results if the trial was not recorded in a publicly-accessible registry at its outset. The only register now available, to our knowledge, is <http://www.clinicaltrials.gov> sponsored by the United States National Library of Medicine and we encourage all potential contributors to register with it. However, in the case that other registers become available you will be duly notified. A letter of recommendation from each author's organization should be provided with the contributed article to ensure the privacy and secrecy of research is protected.

Authors should retain one copy of the text, tables, photographs and illustrations because rejected manuscripts will not be returned to the author(s) and the editors will not be responsible for loss or damage to photographs and illustrations sustained during mailing.

Online submissions

Manuscripts should be submitted through the Online Submission System at: <http://www.wjgnet.com/2218-5836office>. Authors are highly recommended to consult the ONLINE INSTRUCTIONS TO AUTHORS (http://www.wjgnet.com/2218-5836/g_info_20100722172650.htm) before attempting to submit online. For assistance, authors encountering problems with the Online Submission System may send an email describing the problem to wjo@wjgnet.com, or by telephone: +86-10-85381892. If you submit your manuscript online, do not make a postal contribution. Repeated online submission for the same manuscript is strictly prohibited.

MANUSCRIPT PREPARATION

All contributions should be written in English. All articles must be submitted using word-processing software. All submissions must be typed in 1.5 line spacing and 12 pt. Book Antiqua with ample margins.

Style should conform to our house format. Required information for each of the manuscript sections is as follows:

Title page

Title: Title should be less than 12 words.

Running title: A short running title of less than 6 words should be provided.

Authorship: Authorship credit should be in accordance with the standard proposed by International Committee of Medical Journal Editors, based on (1) substantial contributions to conception and design, acquisition of data, or analysis and interpretation of data; (2) drafting the article or revising it critically for important intellectual content; and (3) final approval of the version to be published. Authors should meet conditions 1, 2, and 3.

Institution: Author names should be given first, then the complete name of institution, city, province and postcode. For example, Xu-Chen Zhang, Li-Xin Mei, Department of Pathology, Chengde Medical College, Chengde 067000, Hebei Province, China. One author may be represented from two institutions, for example, George Sgourakis, Department of General, Visceral, and Transplantation Surgery, Essen 45122, Germany; George Sgourakis, 2nd Surgical Department, Korgialenio-Benakio Red Cross Hospital, Athens 15451, Greece

Author contributions: The format of this section should be: Author contributions: Wang CL and Liang L contributed equally to this work; Wang CL, Liang L, Fu JF, Zou CC, Hong F and Wu XM designed the research; Wang CL, Zou CC, Hong F and Wu XM performed the research; Xue JZ and Lu JR contributed new reagents/analytic tools; Wang CL, Liang L and Fu JF analyzed the data; and Wang CL, Liang L and Fu JF wrote the paper.

Supportive foundations: The complete name and number of supportive foundations should be provided, e.g. Supported by National Natural Science Foundation of China, No. 30224801

Correspondence to: Only one corresponding address should be provided. Author names should be given first, then author title, affiliation, the complete name of institution, city, postcode, province, country, and email. All the letters in the email should be in lower case. A space interval should be inserted between country name and email address. For example, Montgomery Bissell, MD, Professor of Medicine, Chief, Liver Center, Gastroenterology Division, University of California, Box 0538, San Francisco, CA 94143, United States. montgomery.bissell@ucsf.edu

Telephone and fax: Telephone and fax should consist of +, country number, district number and telephone or fax number, e.g. Telephone: +86-10-59080039 Fax: +86-10-85381893

Peer reviewers: All articles received are subject to peer review. Normally, three experts are invited for each article. Decision for acceptance is made only when at least two experts recommend an article for publication. Reviewers for accepted manuscripts are acknowledged in each manuscript, and reviewers of articles which were not accepted will be acknowledged at the end of each issue. To ensure the quality of the articles published in *WJO*, reviewers of accepted manuscripts will be announced by publishing the name, title/position and institution of the reviewer in the footnote accompanying the printed article. For example, reviewers: Professor Jing-Yuan Fang, Shanghai Institute of Digestive Disease, Shanghai, Affiliated Renji Hospital, Medical Faculty, Shanghai Jiaotong University, Shanghai, China; Professor Xin-Wei Han, Department of Radiology, The First Affiliated Hospital, Zhengzhou University, Zhengzhou, Henan Province, China; and Professor Anren Kuang, Department of Nuclear Medicine, Huaxi Hospital, Sichuan University, Chengdu, Sichuan Province, China.

Abstract

There are unstructured abstracts (no less than 256 words) and structured abstracts (no less than 480). The specific requirements for structured abstracts are as follows:

An informative, structured abstracts of no less than 480 words should accompany each manuscript. Abstracts for original contributions should be structured into the following sections. AIM (no more than 20 words): Only the purpose should be included. Please write the aim as the form of "To investigate/study/..."; MATERIALS AND METHODS (no less than 140 words); RESULTS (no less than 294 words): You should present *P* values where appropriate and must provide relevant data to illustrate how they were obtained, e.g. 6.92 ± 3.86 vs 3.61 ± 1.67 , $P < 0.001$; CONCLUSION (no more than 26 words).

Key words

Please list 5-10 key words, selected mainly from *Index Medicus*, which reflect the content of the study.

Text

For articles of these sections, original articles and brief articles, the main text should be structured into the following sections: INTRODUCTION, MATERIALS AND METHODS, RESULTS and DISCUSSION, and should include appropriate Figures and Tables. Data should be presented in the main text or in Figures and Tables, but not in both. The main text format of these sections, editorial, topic highlight, case report, letters to the editors, can be found at: http://www.wjgnet.com/2218-5836/g_info_list.htm.

Illustrations

Figures should be numbered as 1, 2, 3, etc., and mentioned clearly in the main text. Provide a brief title for each figure on a separate page. Detailed legends should not be provided under the figures. This part should be added into the text where the figures are applicable. Figures should be either Photoshop or Illustrator files (in tiff, eps, jpeg formats) at high-resolution. Examples can be found at: <http://www.wjgnet.com/1007-9327/13/4520.pdf>; <http://www.wjgnet.com/1007-9327/13/4554.pdf>; <http://www.wjgnet.com/1007-9327/13/4891.pdf>; <http://www.wjgnet.com/1007-9327/13/4986.pdf>; <http://www.wjgnet.com/1007-9327/13/4498.pdf>. Keeping all elements compiled is necessary in line-art image. Scale bars should be used rather than magnification factors, with the length of the bar defined in the legend rather than on the bar itself. File names should identify the figure and panel. Avoid layering type directly over shaded or textured areas. Please use uniform legends for the same subjects. For example: Figure 1 Pathological changes in atrophic gastritis after treatment. A: ...; B: ...; C: ...; D: ...; E: ...; F: ...; G: ...etc. It is our principle to publish high resolution-figures for the printed and E-versions.

Tables

Three-line tables should be numbered 1, 2, 3, etc., and mentioned clearly in the main text. Provide a brief title for each table. Detailed legends should not be included under tables, but rather added into the text where applicable. The information should complement, but not duplicate the text. Use one horizontal line under the title, a second under column heads, and a third below the Table, above any footnotes. Vertical and italic lines should be omitted.

Notes in tables and illustrations

Data that are not statistically significant should not be noted. ^a*P* < 0.05, ^b*P* < 0.01 should be noted (*P* > 0.05 should not be noted). If there are other series of *P* values, ^c*P* < 0.05 and ^d*P* < 0.01 are used. A third series of *P* values can be expressed as ^e*P* < 0.05 and ^f*P* < 0.01. Other notes in tables or under illustrations should be expressed as ¹F, ²F, ³F; or sometimes as other symbols with a superscript (Arabic numerals) in the upper left corner. In a multi-curve illustration, each curve should be labeled with ●, ○, ■, ▲, △, etc., in a certain sequence.

Acknowledgments

Brief acknowledgments of persons who have made genuine contributions to the manuscript and who endorse the data and conclusions should be included. Authors are responsible for obtaining written permission to use any copyrighted text and/or illustrations.

REFERENCES

Coding system

The author should number the references in Arabic numerals according to the citation order in the text. Put reference numbers in square brackets in superscript at the end of citation content or after the cited author's name. For citation content which is part of the narration, the coding number and square brackets should be typeset normally. For example, "Crohn's disease (CD) is associated with increased intestinal permeability^[1,2]". If references are cited directly in the text, they should be put together within the text, for example, "From references^[19,22-24], we know that...".

When the authors write the references, please ensure that the order in text is the same as in the references section, and also ensure the spelling accuracy of the first author's name. Do not list the same citation twice.

PMID and DOI

Please provide PubMed citation numbers to the reference list, e.g. PMID and DOI, which can be found at <http://www.ncbi.nlm.nih.gov/sites/entrez?db=pubmed> and <http://www.crossref.org/SimpleTextQuery/>, respectively. The numbers will be used in E-version of this journal.

Style for journal references

Authors: the name of the first author should be typed in bold-faced letters. The family name of all authors should be typed with the initial letter capitalized, followed by their abbreviated first and middle initials. (For example, Lian-Sheng Ma is abbreviated as Ma LS, Bo-Rong Pan as Pan BR). The title of the cited article and italicized journal title (journal title should be in its abbreviated form as shown in PubMed), publication date, volume number (in black), start page, and end page [PMID: 11819634 DOI: 10.3748/wjg.13.5396].

Style for book references

Authors: the name of the first author should be typed in bold-faced letters. The surname of all authors should be typed with the initial letter capitalized, followed by their abbreviated middle and first initials. (For example, Lian-Sheng Ma is abbreviated as Ma LS, Bo-Rong Pan as Pan BR) Book title. Publication number. Publication place: Publication press, Year: start page and end page.

Format

Journals

English journal article (list all authors and include the PMID where applicable)

- 1 **Jung EM**, Clevert DA, Schreyer AG, Schmitt S, Rennert J, Kubale R, Feuerbach S, Jung F. Evaluation of quantitative contrast harmonic imaging to assess malignancy of liver tumors: A prospective controlled two-center study. *World J Gastroenterol* 2007; **13**: 6356-6364 [PMID: 18081224 DOI: 10.3748/wjg.13.6356]

Chinese journal article (list all authors and include the PMID where applicable)

- 2 **Lin GZ**, Wang XZ, Wang P, Lin J, Yang FD. Immunologic effect of Jianpi Yishen decoction in treatment of Pixu-diarhoea. *Shijie Huaren Xiaohua Zazhi* 1999; **7**: 285-287

In press

- 3 **Tian D**, Araki H, Stahl E, Bergelson J, Kreitman M. Signature of balancing selection in Arabidopsis. *Proc Natl Acad Sci USA* 2006; In press

Organization as author

- 4 **Diabetes Prevention Program Research Group**. Hypertension, insulin, and proinsulin in participants with impaired glucose tolerance. *Hypertension* 2002; **40**: 679-686 [PMID: 12411462 PMID:2516377 DOI:10.1161/01.HYP.0000035706.28494.

09]

Both personal authors and an organization as author

- 5 **Vallancien G**, Emberton M, Harving N, van Moorselaar RJ; Alf-One Study Group. Sexual dysfunction in 1, 274 European men suffering from lower urinary tract symptoms. *J Urol* 2003; **169**: 2257-2261 [PMID: 12771764 DOI:10.1097/01.ju.0000067940.76090.73]

No author given

- 6 21st century heart solution may have a sting in the tail. *BMJ* 2002; **325**: 184 [PMID: 12142303 DOI:10.1136/bmj.325.7357.184]

Volume with supplement

- 7 **Geraud G**, Spierings EL, Keywood C. Tolerability and safety of frovatriptan with short- and long-term use for treatment of migraine and in comparison with sumatriptan. *Headache* 2002; **42** Suppl 2: S93-99 [PMID: 12028325 DOI:10.1046/j.1526-4610.42.s2.7.x]

Issue with no volume

- 8 **Banit DM**, Kaufer H, Hartford JM. Intraoperative frozen section analysis in revision total joint arthroplasty. *Clin Orthop Relat Res* 2002; (**401**): 230-238 [PMID: 12151900 DOI:10.1097/00003086-200208000-00026]

No volume or issue

- 9 Outreach: Bringing HIV-positive individuals into care. *HRS-A Careaction* 2002; 1-6 [PMID: 12154804]

Books

Personal author(s)

- 10 **Sherlock S**, Dooley J. Diseases of the liver and biliary system. 9th ed. Oxford: Blackwell Sci Pub, 1993: 258-296

Chapter in a book (list all authors)

- 11 **Lam SK**. Academic investigator's perspectives of medical treatment for peptic ulcer. In: Swabb EA, Azabo S. Ulcer disease: investigation and basis for therapy. New York: Marcel Dekker, 1991: 431-450

Author(s) and editor(s)

- 12 **Breedlove GK**, Schorfheide AM. Adolescent pregnancy. 2nd ed. Wiczorek RR, editor. White Plains (NY): March of Dimes Education Services, 2001: 20-34

Conference proceedings

- 13 **Harnden P**, Joffe JK, Jones WG, editors. Germ cell tumours V. Proceedings of the 5th Germ cell tumours Conference; 2001 Sep 13-15; Leeds, UK. New York: Springer, 2002: 30-56

Conference paper

- 14 **Christensen S**, Oppacher F. An analysis of Koza's computational effort statistic for genetic programming. In: Foster JA, Lutton E, Miller J, Ryan C, Tettamanzi AG, editors. Genetic programming. EuroGP 2002: Proceedings of the 5th European Conference on Genetic Programming; 2002 Apr 3-5; Kinsdale, Ireland. Berlin: Springer, 2002: 182-191

Electronic journal (list all authors)

- 15 Morse SS. Factors in the emergence of infectious diseases. Emerg Infect Dis serial online, 1995-01-03, cited 1996-06-05; 1(1): 24 screens. Available from: URL: <http://www.cdc.gov/ncidod/eid/index.htm>

Patent (list all authors)

- 16 **Pagedas AC**, inventor; Ancel Surgical R&D Inc., assignee. Flexible endoscopic grasping and cutting device and positioning tool assembly. United States patent US 20020103498. 2002 Aug 1

Statistical data

Write as mean \pm SD or mean \pm SE.

Statistical expression

Express *t* test as *t* (in italics), *F* test as *F* (in italics), chi square test as χ^2 (in Greek), related coefficient as *r* (in italics), degree of freedom as *v* (in Greek), sample number as *n* (in italics), and probability as *P* (in italics).

Units

Use SI units. For example: body mass, *m* (B) = 78 kg; blood pres-

sure, p (B) = 16.2/12.3 kPa; incubation time, t (incubation) = 96 h, blood glucose concentration, c (glucose) 6.4 ± 2.1 mmol/L; blood CEA mass concentration, p (CEA) = 8.6 24.5 μ g/L; CO₂ volume fraction, 50 mL/L CO₂, not 5% CO₂; likewise for 40 g/L formaldehyde, not 10% formalin; and mass fraction, 8 ng/g, *etc.* Arabic numerals such as 23, 243, 641 should be read 23 243 641.

The format for how to accurately write common units and quantums can be found at: http://www.wjgnet.com/2218-5836/g_info_20100724204625.htm.

Abbreviations

Standard abbreviations should be defined in the abstract and on first mention in the text. In general, terms should not be abbreviated unless they are used repeatedly and the abbreviation is helpful to the reader. Permissible abbreviations are listed in Units, Symbols and Abbreviations: A Guide for Biological and Medical Editors and Authors (Ed. Baron DN, 1988) published by The Royal Society of Medicine, London. Certain commonly used abbreviations, such as DNA, RNA, HIV, LD50, PCR, HBV, ECG, WBC, RBC, CT, ESR, CSF, IgG, ELISA, PBS, ATP, EDTA, mAb, can be used directly without further explanation.

Italics

Quantities: t time or temperature, c concentration, A area, l length, m mass, V volume.

Genotypes: *gyrA*, *arg 1*, *c myc*, *c fos*, *etc.*

Restriction enzymes: *EcoRI*, *HindII*, *BamHI*, *Kbo I*, *Kpn I*, *etc.*

Biology: *H. pylori*, *E. coli*, *etc.*

Examples for paper writing

Editorial: http://www.wjgnet.com/2218-5836/g_info_20100723140942.htm

Frontier: http://www.wjgnet.com/2218-5836/g_info_20100723141035.htm

Topic highlight: http://www.wjgnet.com/2218-5836/g_info_20100723141239.htm

Observation: http://www.wjgnet.com/2218-5836/g_info_20100723141532.htm

Guidelines for basic research: http://www.wjgnet.com/2218-5836/g_info_20100723142040.htm

Guidelines for clinical practice: http://www.wjgnet.com/2218-5836/g_info_20100723142248.htm

Review: http://www.wjgnet.com/2218-5836/g_info_20100723145519.htm

Original articles: http://www.wjgnet.com/2218-5836/g_info_20100723145856.htm

Brief articles: http://www.wjgnet.com/2218-5836/g_info_20100723150253.htm

Case report: http://www.wjgnet.com/2218-5836/g_info_20100723150420.htm

Letters to the editor: http://www.wjgnet.com/2218-5836/g_info_20100723150642.htm

Book reviews: http://www.wjgnet.com/2218-5836/g_info_20100723150839.htm

Guidelines: http://www.wjgnet.com/2218-5836/g_info_20100723150924.htm

SUBMISSION OF THE REVISED MANUSCRIPTS AFTER ACCEPTED

Please revise your article according to the revision policies of *WJO*. The revised version including manuscript and high-resolution image figures (if any) should be re-submitted online (<http://www.wjgnet.com/2218-4333office/>). The author should send the copyright transfer letter, responses to the reviewers, English language Grade B certificate (for non-native speakers of English) and final manuscript checklist to wjo@wjgnet.com.

Language evaluation

The language of a manuscript will be graded before it is sent for revision. (1) Grade A: priority publishing; (2) Grade B: minor language polishing; (3) Grade C: a great deal of language polishing needed; and (4) Grade D: rejected. Revised articles should reach Grade A or B.

Copyright assignment form

Please download a Copyright assignment form from http://www.wjgnet.com/2218-5836/g_info_20100724204516.htm.

Responses to reviewers

Please revise your article according to the comments/suggestions provided by the reviewers. The format for responses to the reviewers' comments can be found at: http://www.wjgnet.com/2218-5836/g_info_20100724204306.htm.

Proof of financial support

For paper supported by a foundation, authors should provide a copy of the document and serial number of the foundation.

Links to documents related to the manuscript

WJO will be initiating a platform to promote dynamic interactions between the editors, peer reviewers, readers and authors. After a manuscript is published online, links to the PDF version of the submitted manuscript, the peer-reviewers' report and the revised manuscript will be put on-line. Readers can make comments on the peer reviewer's report, authors' responses to peer reviewers, and the revised manuscript. We hope that authors will benefit from this feedback and be able to revise the manuscript accordingly in a timely manner.

Science news releases

Authors of accepted manuscripts are suggested to write a science news item to promote their articles. The news will be released rapidly at EurekaAlert/AAAS (<http://www.eurekalert.org>). The title for news items should be less than 90 characters; the summary should be less than 75 words; and main body less than 500 words. Science news items should be lawful, ethical, and strictly based on your original content with an attractive title and interesting pictures.

Publication fee

WJO is an international, peer-reviewed, Open-Access, online journal. Articles published by this journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license. Authors of accepted articles must pay a publication fee. The related standards are as follows. Publication fee: 1300 USD per article. Editorial, topic highlights, original articles, book reviews and letters to the editor are published free of charge.