



Via Pietro Giuria, 9 10125 Torino

Tel: +39 011 670.7651 Fax: +39 011 670.7684

e-mail: dip-dstf-net@unito.it

March 30<sup>th</sup>, 2017

To the Editor of World Journal of Gastroenterology

Manuscript title: "Solid lipid nanoparticles delivering anti-inflammatory drugs to treat inflammatory bowel disease: effects in an *in vivo* model" (Manuscript type: original article; ESPS Manuscript NO: 33218).

#### **Animal Care and Use Statement**

I certify that *in vivo* experiments were performed only after receiving formal authorization by the Institutional "Animal Care and Use Committee" of the University of Torino, Torino, Italy.

The mice were housed in a specific pathogen-free environment, and a 12 h light/dark cycle was maintained. The mice had access to water and rodent laboratory chow ad libitum; the weights of the mice as well as diarrhea were recorded daily. The procedures for the care and handling of the animals used in the study were in accordance with the European Directive 2010/63/EU on the protection of animals used for scientific purposes.

Best Regards,

Loredana Serpe, MD PhD

Condone Serfe

Department of Drug Science and Technology,

University of Torino

Via Pietro Giuria 13, 10125 Torino

Italy

Tel: +390116706235 Fax: +390116706230

e-mail: loredana.serpe@unito.it

## Sample 2

#### Animal care and use statement

The animal handling protocol was designed to minimize pain or discomfort to the animals. The animals were acclimatized to laboratory conditions for two weeks before experimentation. The animals were kept under defined conventional conditions (temperature: 19-21 °C, humidity: 30-70%, day-night cycle of 12 h with light changes at 6:00 am and 6:00 pm) with up to three animals per cage. The conditions were recorded hourly by sensor hourly and were personally controlled daily. The animals had access to food (1324 TPF - totally pathogen-free, Altromin) and water ad libitum. For the implementation of anesthesia, isoflurane (3.0%-4.0%) was used in combination with oxygen (0.5 L/min). All animals were euthanized by exsanguination under general anesthesia.

Falk Rauchfuß Corresponding Author

PD Dr. med. habil. Falk-Rauchfuß M. Sc.

Oberarzt
Facharzt für Vezeral- und Gefäßchlrurgie
Klinik für Allgemein-, Viszeral- und Gefäßchlrurgie
Universitätskilnikum Jena

Universitateklinikum Jena Erlanger Allise 101, 07747 Jena Tol. 1984179-322601 / Fax: 09641/9-322602

# Sample 3

### Animal care and use statement

No animal subjects were involved in our experiments.

Jan Mojzis, prof. DVM, DSc.

Department of Pharmacology, Faculty of Medicine, Pavol Jozef Safarik University, 04011 Kosice, Slovak Republic